

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16292	impending	US-PGPUB; USPAT	OR	OFF	2008/12/12 07:14
L2	1242	signal near6 L1	US-PGPUB; USPAT	OR	OFF	2008/12/12 07:15
L3	18	L2 and 713/3\$.cds.	US-PGPUB; USPAT	OR	OFF	2008/12/12 07:16
L4	5459	L1 and voltage	US-PGPUB; USPAT	OR	OFF	2008/12/12 07:16
L5	389	L1 with voltage	US-PGPUB; USPAT	OR	OFF	2008/12/12 07:17
L6	9	L5 and 713/3\$.cds.	US-PGPUB; USPAT	OR	OFF	2008/12/12 07:17
L7	1	"5926394".pn.	US-PGPUB; USPAT	OR	OFF	2008/12/12 07:21
L8	25818	(processor cpu microprocessor) with (power near2 (control\$4 manag\$6))	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:00
L9	5548	L8 with (memory storage)	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:01
L10	246	L9 with wireless	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:01
L11	9	L10 and 713/3\$.cds.	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:01
L12	14900	(processor cpu microprocessor) with (wireless) with (storage memory)	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:04
L13	261	stor\$4 near3 (power near2 instruction\$1)	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:05
L14	2	L12 same L13	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:05
L15	5	L12 and L13	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:06
L16	65	((processor cpu microprocessor) with (storage memory)) same L13	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:07
L17	21	L16 and (wireless radio)	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:07
L18	6	L17 and g06f\$	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:07

L19	9698	wireless near2 communication near2 signal\$1	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:25
L20	2433	wireless adj1 communication adj1 signal \$1	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:25
L21	145	(processor cpu microprocessor) with (wireless adj1 communication adj1 signal \$1)	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:25
L22	95	L21 and power	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:26
L23	10	L21 same power	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:26
L24	14808	(power near2 (control\$4 manag\$6)) with (mobile cellular wireless)	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:28
L25	1435	L24 with (processor microprocessor cpu)	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:29
L26	509	L25 with (memory storage)	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:29
L27	106	L26 and g06f\$	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:29
L28	17	L27 and 713/3\$.cds.	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:29
L29	426	(stor\$4 includ\$4) near3 (power near2 instructions)	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:34
L30	33	L29 with (mobile wireless portable cellular)	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:35
L31	168	(stor\$4) near3 (power near2 instructions)	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:37
L32	5	L31 with (radio wireless cellular)	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:38
L33	5	L31 same (radio wireless cellular)	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:38
L34	73	L31 and (radio wireless cellular)	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:38
L35	26	L34 and g06f\$	US-PGPUB; USPAT	OR	OFF	2008/12/12 08:38
S1	1709	(modif\$4 setting set\$1) near3 (operating adj voltage\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 09:28

S2	49	S1 with (processor\$1 CPU)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 05:49
S3	1	S2 same antenna	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 05:49
S4	1	S2 same wireless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 05:50
S5	17	S2 with control\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 07:04
S6	3118	713/300,320.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 05:51
S7	1	S5 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 05:51
S8	95	(mode near3 operation) near3 ((setting modif\$4) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 07:06
S9	1	S8 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 07:06

S10	2	S8 near5 (processor CPU)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 07:06
S11	5044	(mode near3 operation) near3 (processor cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 07:27
S12	2	(mode near3 operation) near3 (processor cpu) near3 ((setting modif\$4) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 07:07
S13	2	(mode near3 operation) near3 (processor cpu) near5 ((setting modif\$4) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 07:07
S14	3	(mode near3 operation) near3 (processor cpu) with ((setting modif\$4) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 07:23
S15	275	(determin\$4 noting) near3 S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 07:27
S16	2	S15 same ((setting modif \$4) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 07:27
S17	353054	(mode near3 operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 07:27

S18	9739	(determin\$4 noting) near3 S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 07:27
S19	11	S18 same ((setting modif \$4) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 09:15
S20	36160	wireless near3 connection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 09:16
S21	5562	S20 near3 (device computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 09:16
S22	6783	S20 near3 (device\$1 computer\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 09:16
S23	76	S22 near3 (antenna dipole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 09:17
S24	27	S23 near3 communicat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 09:18
S25	0	S24 same (power near3 (conserv\$7 consum\$7 sav \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 09:20

S26	3118	713/300,320.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 09:18
S27	0	S24 and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 09:18
S28	282	S20 same (power near3 (conserv\$7 consum\$7 sav \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 09:21
S29	157	S28 same device\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 09:21
S30	10	S29 same (antenna dipole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 10:00
S31	2	"5809315".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 10:00
S32	1774	(modif\$4 setting set\$1) near3 (operating adj voltage\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S33	58	S32 with (processor\$1 CPU)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57

S34	18	S33 with control\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S35	3435	713/300,320.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S36	1	S34 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S37	99	(mode near3 operation) near3 ((setting modif\$4) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S38	1	S37 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S39	5237	(mode near3 operation) near3 (processor cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S40	293	(determin\$4 noting) near3 S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S41	2	S40 same ((setting modif \$4) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57

S42	40517	wireless near3 connection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S43	7587	S42 near3 (device\$1 computer\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S44	79	S43 near3 (antenna dipole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S45	28	S44 near3 communicat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S46	312	S42 same (power near3 (conserv\$7 consum\$7 sav \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S47	175	S46 same device\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S48	11	S47 same (antenna dipole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 15:57
S49	828	(process\$4 near3 wireless adj signal\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:37

S50	2853	(process\$4 near3 (wireless radio) adj (signal\$1 message\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:38
S51	304253	(modif\$4 chang\$4 adjust \$4) near3 voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:43
S52	1272	S51 near3 (processor cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:41
S53	0	S50 with S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:40
S54	0	S50 same S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:40
S55	0	S50 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:40
S56	130	S50 near3 (processor CPU)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:41
S57	431	S50 near3 (transmitter receiver processor CPU)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:41

S58	2484	S51 near3 (transmitter receiver processor cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:42
S59	0	S57 with S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:42
S60	0	S57 same S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:42
S61	2	S57 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:42
S62	1267	(modif\$4 chang\$4 adjust \$4) near3 voltage near3 (transceiver transmitter receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:45
S63	3706	713/300,320.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:44
S64	1	S63 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:44
S65	91	S62 same (sleep idle active standby mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 17:46

S66	304253	(modif\$4 chang\$4 adjust \$4) near3 voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 13:13
S67	1272	S66 near3 (processor cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 13:14
S68	126208	(processor cpu) near3 (sleep idle active mode operation standby)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 13:15
S69	45	S67 near7 S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 13:15
S70	39	S67 near3 S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 13:15
S71	0	("2005/0223244").URPN.	USPAT	OR	ON	2007/02/28 13:19
S72	304253	(modif\$4 chang\$4 adjust \$4) near3 voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 14:41
S73	1272	S72 near3 (processor cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 14:41
S74	126208	(processor cpu) near3 (sleep idle active mode operation standby)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 14:41

S75	39	S73 near3 S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 14:47
S76	3976	process\$4 near3 ((radio wireless) adj signal\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 14:48
S77	490	S76 near3 (CPU processor microprocessor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 15:23
S78	3706	713/300,320.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 14:48
S79	1	S77 and S78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 14:48
S80	1562	sens\$4 near3 power near3 (processor cpu microprocessor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 12:05
S81	67362	determin\$4 near3 (((mode state) near2 operation) sleep hibernate idle active idle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 12:06
S82	0	S80 near7 S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 12:06

S83	1	S80 with S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 12:06
S84	1	S80 same S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 12:06
S85	56	S80 and S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 12:07
S86	4085	713/300,320.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 12:07
S87	2	S85 and S86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 12:57
S88	0	S81 near5 (((based adj on) (according adj to)) near3 (power near3 (processor cpu microprocessor)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 12:59
S89	145	(modify\$4 chang\$4 adjust \$4 switch\$4) near3 voltage near3 (processor microprocessor cpu (processing adj unit)) near3 (mode state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 09:31
S90	4462	713/300,320.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 09:31

S91	31	S89 and S90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 09:32
S92	11995	(anticipated expected) near3 (mode state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/05 13:40
S93	165	S92 near3 (processor CPU)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/05 13:40
S94	165	S92 near3 (processor CPU)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/05 13:41
S95	10	S94 with (adjust\$4 chang \$4 modify\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/05 13:42
S96	698	(anticipated expected) near3 (mode state) near3 (chang\$4 switch\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/05 13:47
S97	44	(detect\$4 determin\$4) near3 S96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/05 13:48
S98	667887	(adjust\$4 chang\$4 modify \$4) near3 (voltage current power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/05 13:49

S99	7	S97 same S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/05 13:49
-----	---	--------------	---	----	-----	---------------------

12/ 12/ 2008 9:40:46 AM

C:\Documents and Settings\mbrown7\My Documents\EAST\Workspaces\10811864.wsp